

GANNETT FLEMING CORDDRY AND CARPENTER, INC.  
ENGINEERS



P. O. BOX 1963  
HARRISBURG, PENNSYLVANIA 17105

PHONE: 717 238-0451

CABLE ADDRESS: GANFLEC

W. HOWARD CORDDRY  
J. DONALD CARPENTER  
JOHN R. DIETZ  
CHARLES H. KRESSLER  
SAMUEL I. ZACK  
JAMES A. ROMANO  
FRANK J. WILLIAMS  
GEORGE BURGIN

PERRY C. SNYDER  
CECIL M. PEPPERMAN  
ALBERT C. HOOKE  
H. BRUCE GERBER  
JAMES H. HERENDEEN  
FRANK M. WILLIAMSON  
WILLIAM G. DRURY  
J. DOUGLASS BERRY

CHARLES W. PICKERING  
LEWIS A. GARBACIK  
WILLIAM H. ALLEN  
JOSEPH W. LIPSCOMB  
WALTER K. MORRIS  
MARCELLO H. SOTO  
HAROLD T. WADDINGTON  
MAURICE A. WADSWORTH  
FRANK J. DONATELLI  
JAMES R. MADARA  
HERMAN R. STARTZENBACH  
JOHN E. WATERS  
PHILIP P. AMPOLLINI  
GILBERT G. BRINCKERHOFF  
JAMES L. LONG  
ANTON F. MIORIN  
RAY F. STAUFFER

December 31, 1970

Commonwealth of Pennsylvania  
Department of Mines and Mineral Industries  
Towne House Apartments  
Harrisburg, Pennsylvania 17102

Attention: Dr. H. B. Charmbury  
Secretary of Mines and Mineral Industries

Gentlemen:

Re: Project No. SL-111

In accordance with provisions of our Service Contract dated June 26, 1968 and Change Order dated January 1, 1970, we submit the enclosed report covering findings, conclusions, and recommendations resulting from investigations of mine drainage pollution abatement measures within the Beech Creek Watershed.

Very truly yours,

GANNETT FLEMING CORDDRY AND CARPENTER, INC.

A. F. MIORIN  
Project Engineer

C. M. PEPPERMAN  
Vice-President

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF MINES AND MINERAL INDUSTRIES

MINE DRAINAGE POLLUTION ABATEMENT MEASURES  
FOR THE BEECH CREEK WATERSHED

-----

Centre and Clinton Counties, Pennsylvania

ENGINEERING REPORT  
PROJECT NO. SL-111

## TABLE OF CONTENTS

Section	Page
I FOREWORD	1
Glossary	Following 1
Plate	
I - Beech Creek Watershed	Following 1
II SUMMARY OF FINDINGS, CONCLUSIONS, AND RECOMMENDATIONS	2
III BEECH CREEK WATERSHED: RESULTS OF INVESTIGATIONS	
General Description	9
Geologic Considerations	11
Major Subsurface Conditions Bearing upon the Formation of Acid Mine Drainage	12
Extent of Subsurface Area Draining into or out of the Watershed	14
Major Surface Conditions Bearing upon the Formation of Acid Mine Drainage	15
Water Flow Routes into and through Deep Mine Workings	16
Mine Drainage Discharge Points	18
Mine Drainage Gauging, Sampling, and Analytical Program	20
Mine Drainage Design Volumes and Quality	21
Evaporation - Transpiration Losses and Runoff Coefficients	23
Present Mine Drainage Discharge Limitations of the Sanitary Water Board	24
Mine Drainage Discharges in Compliance with Present Discharge Limitations of the Sanitary Water Board	25
Analytical Procedures	26
Extent and Effectiveness of Past Mine Drainage Preventive Measures	27
Major Mine Drainage Volume, Iron and Acid Contributors	28
Watershed Stream Loads	29
Stream Quality Criteria	32
Stream Sampling and Analytical Program	34
Current Quality of Watershed Streams	35
Applicable Acid Mine Drainage Abatement Measures	39

Acid Mine Drainage Abatement Plans Studied in Detail	40
Cost Estimates for Acid Mine Drainage Abatement Plans Studied in Detail	47
Discussion of Acid Mine Drainage Abatement Plans Studied in Detail	48
Recommended Acid Mine Drainage Abatement Plan	51
Anticipated Quality of Watershed Streams after Implementation of Recommended Abatement Plan	53
Overview	57
Exhibits	Following 57
A - Identification of Coal Seams	
B - Description of Deep Mine Entries	
C - Description of Subsidence Areas	
D - Description of Stream Infiltration Areas	
E - Description of Strip Mines	
F - Description of Mine Drainage Discharge Points	
G - Description of Refuse Areas	
H - Mine Drainage Volumes, Constituents, and Characteristics Measured at Each Discharge Point during Gauging, Sampling, and Analytical Program	
I - Assumptions and Calculations Used to Establish Combined Watershed Design Mine Drainage Volumes	
J - Design Mine Drainage Volumes, Major Constituents and Characteristics at Each Discharge Point	
K - Design Average Mine Drainage Volumes in Order of Magnitude	
L - Design Average Mine Drainage Iron Quantities in Order of Magnitude	
M - Design Average Mine Drainage Acid Quantities in Order of Magnitude	
N - Mine Drainage Discharge Loads Tributary to Beech Creek	
O - Mine Drainage Discharge Loads Tributary to Beech Creek North Fork	
P - Mine Drainage Discharge Loads Tributary to Sandy Run	
Q - Constituents and Characteristics of Various Watershed Streams	
R - Evaluation of Acid Mine Drainage Abatement Measures	
S - Construction and Cost Estimating Information	
T - Pertinent Design and Cost Data for the Recommended Abatement Plan	
U - Mine Drainage Discharge Points Affected by the Recommended Abatement Plan	
V - Anticipated Constituents and Characteristics of Various Watershed Streams	

Plates

Following 57

- II - Beech Creek Watershed Coal Seams
- III-A - Beech Creek Watershed Mining Operations  
and Related Features
- III-B - Beech Creek Watershed Mining Operations  
and Related Features
- IV-A - Recommended Abatement Plan for  
Beech Creek Watershed
- IV-B - Recommended Abatement Plan for  
Beech Creek Watershed