

CATALOGED IN  
PA DEP AND DCNR  
Central Library  
Harrisburg, PA 17105

GANNETT FLEMING CORDDRY AND CARPENTER, INC.  
ENGINEERS



P. O. BOX 1963  
HARRISBURG, PENNSYLVANIA 17105  
PHONE: 717 238-0451  
CABLE ADDRESS: GANFLEC

W. HOWARD CORDDRY  
JOHN R. DIETZ  
CHARLES H. KRESSLER  
SAMUEL I. ZACK  
JAMES A. ROMANO  
CECIL M. PEPPERMAN  
MAURICE A. WADSWORTH  
GEORGE BURCIN  
H. BRUCE GERBER  
WALTER K. MORRIS

PERRY C. SNYDER  
ALBERT C. HOOKE  
JAMES H. HERENDEEN  
WILLIAM G. DRURY  
J. DOUGLASS BERRY  
CHARLES W. PICKERING

WILLIAM H. ALLEN  
JOSEPH W. LIPSCOMB  
MARCELLO H. SOTO  
HAROLD T. WADDINGTON  
FRANK J. DONATELLI  
JAMES R. MADARA  
HERMAN R. STARTZENBACH  
JOHN E. WATERS  
PHILIP P. AMPOLLINI  
GILBERT G. BRINCKERHOFF  
JAMES L. LONG  
ANTON F. MIORIN  
RAY F. STAUFFER  
F. JAMES KNIGHT  
C. KENNETH MYERS  
PAUL E. PAUL  
GEORGE H. SMITH

December 31, 1972

Commonwealth of Pennsylvania  
Department of Environmental Resources  
P. O. Box 1467  
Harrisburg, Pennsylvania 17120

Attention: Dr. Maurice K. Goddard  
Secretary


Gentlemen:

Re: Project No. SL-113


In accordance with the provisions of our Service Contract dated May 29, 1969 and Change Order dated June 9, 1971, we submit the enclosed report covering the findings, conclusions, and recommendations resulting from investigations of mine drainage abatement measures within the Shamokin Creek Watershed.

Very truly yours,

GANNETT FLEMING CORDDRY AND CARPENTER, INC.

  
R. S. KLINGENSMITH

Manager, Mine Drainage Control Group

  
C. M. PEPPERMAN  
Vice-President

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL RESOURCES

MINE DRAINAGE ABATEMENT MEASURES  
FOR THE SHAMOKIN CREEK WATERSHED

Columbia and Northumberland Counties, Pennsylvania

PRELIMINARY ENGINEERING REPORT  
PROJECT NO. SL-113

**DEPARTMENT OF ENVIRONMENTAL RESOURCES  
REVIEW NOTICE**

This report, prepared by outside consultants, has been reviewed by the Department of Environmental Resources and approved for publication. The contents indicate the conditions that are existing as determined by the consultant, and the consultant's recommendations for correction of the problems. The foregoing does not signify that the contents necessarily reflect the policies, views, or approval of the Department.

## TABLE OF CONTENTS

Section	Page
I FOREWORD	1
Glossary	2
II SUMMARY OF FINDINGS, CONCLUSIONS, AND RECOMMENDATIONS	5
III SHAMOKIN CREEK WATERSHED: RESULTS OF INVESTIGATIONS	
General Description	15
Geologic Considerations	17
Major Subsurface Conditions Bearing upon the Formation of Acid Mine Drainage	18
Major Surface Conditions Bearing upon the Formation of Acid Mine Drainage	20
Water Flow Routes into and through Deep Mine Workings	21
Extent of Surface and Subsurface Areas Draining into or out of the Watershed	24
Mine Drainage Discharge Points	25
Mine Drainage Gauging, Sampling, and Analytical Program	27
Mine Drainage Design Volumes and Quality	29
Mine Drainage Design Pollution Loads to Watershed Streams	31
Evaporation - Transpiration Losses and Runoff Coefficients	32
Present Mine Drainage Discharge Limitations of the Department of Environmental Resources	33
Mine Drainage Discharges in Compliance with Present Discharge Limitations of the Department of Environmental Resources	34
Extent and Effectiveness of Past Mine Drainage Preventive Measures	35

Major Mine Drainage Volume, Iron, and Acid Contributors	36
Stream Quality Criteria	38
Stream Sampling and Analytical Program	40
Current Quality of Watershed Streams	42
Acid Mine Drainage Abatement Plans Studied in Detail	46
Cost Estimates for Acid Mine Drainage Abatement Plans Studied in Detail	54
Discussion of Acid Mine Drainage Abatement Plans Studied in Detail	55
Recommended Acid Mine Drainage Abatement Plan	58
Watershed Active Mines	63
Anticipated Quality of Watershed Streams after Implementation of Recommended Abatement Plan	64
Overview	70
Exhibits	Following 70
A - Identification of Coal Veins	
B - Description and Status of Mine Drainage Discharge Points	
C - Assumptions and Calculations Used to Establish Combined Watershed Design Mine Drainage Volumes	
D - Design Mine Drainage Volumes, Major Constituents, and Characteristics at Each Discharge Point	
E - Design Pollution Loads to Watershed Streams	
F - Design Average Mine Drainage Volumes in Order of Magnitude	
G - Design Average Mine Drainage Iron Quantities in Order of Magnitude	
H - Design Average Mine Drainage Acid Quantities in Order of Magnitude	

- I - Constituents and Characteristics of Various Watershed Streams
  - J - Pertinent Design and Cost Data for the Recommended Abatement Plan
  - K - Mine Drainage Discharge Points Affected by the Recommended Abatement Plan
  - L - Anticipated Constituents and Characteristics of Various Watershed Streams
- Plates
- I- Shamokin Creek Watershed
    - II-A - Shamokin Creek Watershed Mining Operations and Related Features
    - II-B - Shamokin Creek Watershed Mining Operations and Related Features
  - III - Shamokin Creek Watershed Extent of Major Deep Mine Workings Contributing to Pool Overflows
  - IV-A - Recommended Abatement Plan for Shamokin Creek Watershed
  - IV -B - Recommended Abatement Plan for Shamokin Creek Watershed